




# RETAIL SMART<sup>+</sup> PROGRAM 2020/2021



# **CONTENT**





# THE NEW SMART<sup>+</sup> PORTFOLIO OF LAMPS AND LUMINAIRES: HUGE RANGE FOR INDOORS AND OUTDOORS

Whether you're interested in highly efficient LED lamps or stylish
LED luminaires, products for indoor or outdoor use, or control via
app, voice or smart remote – the SMART<sup>+</sup> product portfolio is
broader and more extensive than ever before.

### SMART SOLUTIONS FOR ALL CUSTOMER NEEDS


Whether its convenience, a sense of security, the ability to take advantage of a range of intelligent functions or the pleasure gained from configuring lighting indoors and outdoors – customers have widely differing expectations of smart lighting. SMART<sup>+</sup> fulfills all these expectations in the best way possible.

# Clever & convenient

Why stand up every time you want to switch the lighting on or off?

SMART<sup>+</sup> customers can control their lighting via app or voice from the comfort of their sofa.

Clever & mobile
SMART<sup>+</sup> gives many users an
enhanced sense of security. They
can control their lighting at home
from practically any location – to
simulate their physical presence,
for example.



# Clever & appealing

Lighting is now much more than simply a matter of "on" or "off". More and more customers are becoming excited by the possibility of creating atmospheric lighting scenarios or automating their desired lighting sequences (e.g. wake-up light) throughout the course of the day.

# Clever & outdoors

Greater convenience, increased security, heightened atmosphere: Outdoors too, LEDVANCE has a large number of smart lighting products that open up a wide range of fascinating possibilities.

# THREE PRODUCT LINES – THREE CONTROL METHODS

Some people want to control their lighting with their smartphone. Others prefer the convenience of using smart speakers and voice commands. A third group would like to integrate their smart lighting into a comprehensive smart home system via a gateway.

That's why we now offer your customers three product lines based around different technologies each with its own recommended control method. The individual lines are tailored perfectly to the control method we recommend for them. **But alternative control methods** are available for each line to ensure customers retain flexibility moving forward.





The SMART<sup>+</sup> WIFI products can be controlled simply and conveniently via a WiFi router using the LEDVANCE SMART<sup>+</sup> WIFI app. More on pg. 8.

### **જ** WIFI



**LEDVANCE** LAMP/LUMINAIRE



**LEDVANCE** SMART<sup>+</sup> WIFI APP



SMART HOME PREMIUM – LIGHT CONTROL VIA VOICE COMMAND: SMART HOME PROFESSIONAL – LIGHT CONTROL VIA GATEWAY:

The SMART<sup>+</sup> Bluetooth products are designed to work perfectly by means of voice control. We recommend using the smart speakers from Google. More on pg. 12.

Bluetooth
MESH

Coogle Play

Download on the
App Store

Magar family

LEDVANCE
LAMP/LUMINAIRE

GOOGLE NEST MINI GOOGLE HOME APP Our recommendation for the SMART<sup>+</sup> Zigbee products: control using a gateway and the related app belonging to one of our many partner systems. More on pg. 16.



LEDVANCE LAMP/LUMINAIRE

SMART HOME SYSTEMS WITH GATEWAY, E.G. BOSCH



### LIGHT CONTROL VIA SMARTPHONE: SMART+ WIFI

SMART<sup>+</sup> WiFi is the simplest route to smart lighting. Your customers only need the following: a SMART<sup>+</sup> WiFi lamp or luminaire, a router (that most homes have already), the free LEDVANCE SMART<sup>+</sup> WiFi app – and they're ready to go!

The control method we recommend in this case is the smart-phone respectively the LEDVANCE SMART<sup>+</sup> WIFI app. The possibilities are practically endless, with the app enabling control of a wide range of functions in an extremely simple manner. What's more, there's a huge portfolio of lamps and luminaires for customers to choose from – for indoor and outdoor areas.

#### The key benefits at a glance:

- Recommended control method is the LEDVANCE SMART<sup>+</sup> WiFi app
- Huge range of lamps and luminaires
- Up to 250 products can connected up, and around 50 can be controlled simultaneously
- Short response time



LEDVANCE LAMP/LUMINAIRE



LEDVANCE SMART<sup>+</sup> WIFI APP



Home needs an internet (WiFi) connection

### **SMART<sup>+</sup> WIFI CAN DO ALL OF THIS**

# PRODUCT FUNCTIONS\*:

\* Depending on product model



On/Off function



Dimming function



From warm white to cool white



Light color function

# SYSTEM FUNCTIONS:







#### Group light sources

For example, selected light sources in living room, combination of indoor and outdoor light sources



#### Create lighting scenes

All selected light sources are adjusted to create the desired atmosphere – at the touch of a button



# Light management while on the go

Controlling the lighting at home from any location – e.g. simulating physical presence at home while away on a business trip




#### Interacting light sources

Combining several products and functions – e.g. living room lighting off, bedroom lighting on



### Automated lighting sequences

Light for waking up and falling to sleep, weatherdependent lighting, light that supports the human biorhythm, and much more besides



# SMART<sup>+</sup> WIFI APP: MUCH MORE

Unsurprisingly, SMART<sup>+</sup> WiFi can be used to control simple functions such as dimming, light temperature or light color. But this intuitive system also can do a whole lot more. Just a few examples ...

#### LIGHTING FOR A WIDE RANGE OF MOODS

Cool white light when working, particularly cozy lighting for evenings on the sofa, whimsically colorful lighting for parties ... SMART<sup>+</sup> WIFI enables simple creation of even complex lighting scenarios. The app already contains a few pre-configured scenarios.



#### LIGHTING THAT ENHANCES WELL-BEING

SMART<sup>+</sup> WIFI can adjust lighting to meet our changing needs over the course of the day ("circadian rhythm"). Bright and stimulating in the morning, for example, and a dimmed warm white during periods of relaxation. Eight default settings have already been programmed in the app.



# THAN JUST "ON" OR "OFF"




# LIGHTING THAT REACTS TO THE WEATHER

SMART<sup>+</sup> WIFI is even able to respond to the data in the current weather report: no lighting during bright sunshine, for example, and automatic lighting activation when the sun goes down.

# LIGHTING FOR WAKING UP AND FALLING TO SLEEP

The lighting slowly becomes brighter in the morning (fade-in function) – and the intensity gradually decreases again (fade-out) when it's time to go to sleep. The respective times can be defined by the customer, and repeated for any number of desired days.





# LIGHT CONTROL VIA VOICE COMMAND: SMART+ BLUETOOTH

SMART<sup>+</sup> Bluetooth is our recommendation for anyone who wants to conveniently control their lighting by voice. This is because the products harmonize perfectly with the smart speakers from Google.

#### The key benefits at a glance:

- Direct integration of SMART<sup>+</sup> Bluetooth products in the Google Home app thanks to Seamless Setup
- Fast installation: less than 5 minutes
- Extremely fast response time
- Bluetooth Mesh function: each additional SMART<sup>+</sup> Bluetooth lamp connected in series increases the range of the network
- A practically unlimited number of lighting sources can be connected up



Nest Mini requires WiFi, a nearby electrical socket, a compatible smartphone or tablet, and a Google account.

# **SMART<sup>+</sup> BLUETOOTH CAN DO ALL OF THIS**

#### **PRODUCT FUNCTIONS**<sup>1</sup>:





On/Off function



Dimming function



From warm white to cool white



Light color function

#### **SYSTEM FUNCTIONS:**







#### Voice control Convenient voice control via smart speakers



#### **Group lighting** sources For example, selected light sources in the living room, all light

sources in the outdoor area

Create lighting scenes





Light management while on the go Controlling the lighting at home from any location - e.g. simulating physical presence while away

on a business trip



Program times

For example, define gently intensifying lighting levels at waking-up time and gently fading light when going to sleep



Further options:

weather information, control of music and audio, scheduling, heating, blinds and a whole lot more3.

# A PERFECT COMBINATION: STARTER KIT WITH SMART<sup>+</sup> PRODUCT AND GOOGLE NEST MINI<sup>2</sup>









#### Nest Mini available in the colors Chalk and Charcoal

- <sup>2</sup> Currently available in DACH region, other countries on request <sup>3</sup> Compatible smart home devices are required

# GOOGLE NEST MINI SPEAKER AND GOOGLE ASSISTANT – SUPPORT FOR YOUR HOME



Conveniently manage your lighting using voice control. But the Google Nest Mini speaker can also do a whole lot more ...



#### IT COULDN'T BE EASIER: STREAMING MUSIC VIA VOICE COMMANDS

You can play your favorite music from YouTube Music, Spotify or other providers using voice commands.<sup>1</sup> Just tell Google Assistant which song, artist, album or genre you want to listen to. Or stream music directly from your smartphone<sup>2</sup> to Nest Mini.<sup>3</sup>

Hey Google, turn on



Hey Google, switch the light to red

the light

Hey Google, switch the light to 50 %



#### ALWAYS AT YOUR DIS-POSAL: YOUR GOOGLE ASSISTANT

Google Assistant is there for you wherever and whenever you need it: <sup>4</sup> Ask it, for example, about the weather or the latest news. You will get an immediate answer. You can also use voice commands to set timers and alarms.



### "HEY GOOGLE, GOOD MORNING"

Google Assistant <sup>4</sup> identifies you by your voice: Thanks to Voice Match, everyone in your home can retrieve their own appointments, reminders or traffic information.<sup>5</sup>



#### TURN UP THE MUSIC

Nest Mini delivers clear sound thanks to enhanced power and bass.<sup>3</sup>



#### YOUR SMART HOME OBEYS YOUR EVERY WORD

Google Assistant <sup>4</sup> is just a voice command away: Want to dim the light, turn up the heating or switch the TV on? Your voice is the only thing you need. <sup>6</sup> Nest Mini is compatible with hundreds of smart home devices such as lamps, sockets and TVs, from a range of brands.



Hey Google, what is 25 times 83?

Hey Google, set the timer for 15 minutes

<sup>6</sup> Compatible smart home devices are required.

<sup>&</sup>lt;sup>1</sup> Access to some content requires a subscription. Additional terms of use

and/or additional fees may apply.

Requires an Android smartphone or Chromecast-compatible apps on iOS.

Rest Mini requires WiFi a nearby electrical socket, a compatible smartphon

<sup>3</sup> Nest Mini requires WiFi, a nearby electrical socket, a compatible smartphone or tablet, and a Google account.

A compatible smartphone or tablet (Android, iOS) and an internet connection are required to use the Assistant.

Some additional setups and registrations are needed for Voice Match. Voice Match can identify up to six users. When using Voice Match, it is possible that Google will identify you incorrectly if another user has a similar voice or uses a recording of your voice.

# OTHER CONTROL METHODS FOR SMART + BLUETOOTH

#### SMART<sup>+</sup> BLUETOOTH AND THE LEDVANCE SMART<sup>+</sup> APP FOR BLUETOOTH (ANDROID AND IOS)

The LEDVANCE SMART<sup>+</sup> app for Bluetooth is indispensable particularly in cases where there's a requirement to integrate older Bluetooth products (e.g. OSRAM). Simply select the desired firmware on the startup screen using the flash function: LEDVANCE SMART+ app, Google Assistant, Amazon Alexa or Apple HomeKit. Or just simply control things directly via the LEDVANCE SMART<sup>+</sup> app.















SMART LIGHT

#### SMART<sup>+</sup> BLUETOOTH AND AMAZON ALEXA (ANDROID AND IOS)

You'd like to control LEDVANCE SMART<sup>+</sup> Bluetoth products through Amazon Alexa? Simply download the LEDVANCE SMART<sup>+</sup> app for Bluetooth, select "Amazon Alexa" in the start menu and carry out the firmware update for selected products: Now you directly integrate the Bluetooth products into the Alexa app and enjoy voice command.



















SMART LIGHT

#### SMART<sup>+</sup> BLUETOOTH AND APPLE HOMEKIT (IOS)

The Apple Home app comes pre-installed on all Apple devices. It enables control by voice or finger gestures. Voice commands can be issued via the Siri voice assistant or the Apple HomePod. When Apple TV is used, control is also possible regardless of the user's physical location.















SMART LIGHT

Apple HomeKit can be additionally voice controlled via the Apple HomePod



The SMART<sup>+</sup> products using Zigbee technology were developed specifically for control via a gateway. This makes them the ideal solution for anyone who wants to fully exploit the possibilities of smart lighting and wishes to integrate smart light into a comprehensive smart home system.

#### The key benefits at a glance:

- Recommended control method is the app belonging to the partner system (alternatively, control via a smart speaker or a smart remote)
- Large range of lamps and luminaires
- Up to 50 products can be connected up
- Compatibility with the following partner systems: Bosch, Philips Hue, Deutsche Telekom Qivicon, SAMSUNG SmartThings, Schwaiger HOME4YOU and many more



LEDVANCE LAMP/LUMINAIRE

**GATEWAY WITH PARTNER APP** 

# PRODUCT FUNCTIONS\*:

\* Depending on product model



On/Off function



Dimming function



From warm white to cool white



Light color function

# SYSTEM FUNCTIONS:



#### Voice control

Convenient voice control via smart speakers is also possible



#### Group lighting sources

For example, selected light sources in the living room, all light sources in the outside area, etc.



#### Create lighting scenes

All selected light sources are adjusted to create the desired atmosphere – with just a single command



#### Program times

For example, gently intensifying lighting levels at waking-up time and fading lighting levels when going to sleep



### Light management while on the go

Controlling the lighting at home from any location – e.g. simulating physical presence while away on a business trip.




#### Further smart applications

In addition to the lighting, you can also control heating, blinds, alarm systems, fire and water leak detectors, infotainment, household appliances and many more applications in a smart and convenient manner.









Measures to simulate physical presence (involving lighting, blinds, radio, etc.) combine with alarm and warning functions to create a comprehensive security concept. (See also: Bosch & LEDVANCE Starter Kits, pg. 18)

# FOR ENTRY-LEVEL USERS: THE SIMPLE ALTERNATIVE WITHOUT GATEWAY AND APP

The SMART<sup>+</sup> Zigbee products can also be used together with the SWITCH or SWITCH MINI smart remotes – extremely easily, without app, gateway and internet connection. The remotes can be directly coupled with the Zigbee products.





# LEDVANCE & BOSCH: A FANTASTIC COMBINATION

#### SMART<sup>+</sup> ZIGBEE AND THE BOSCH HOME SYSTEM

Bosch Smart Home brings greater security for your home and more convenience in your everyday life. Possible applications for the system, among many others, are convenient and energy-saving management of heat and air quality, and implementation of alarm systems to protect against fires and intruders. Responsible for lighting applications: the LEDVANCE SMART<sup>+</sup> Zigbee products!



#### **OUR BOSCH STARTER KITS**



**Bosch & LEDVANCE Smoke Alarm Set Starter Kit** with gateway, smoke alarm and two LEDVANCE RGBW lamps



Bosch & LEDVANCE Alarm System Starter Kit with gateway, alarm system, a LEDVANCE RGBW lamp and LEDVANCE RGBW light strip

# VOICE CONTROL WITH SMART<sup>+</sup> ZIGBEE

#### **SMART<sup>+</sup> ZIGBEE AND GOOGLE**

Our SMART<sup>+</sup> Zigbee products can be conveniently controlled via voice as well. SMART<sup>+</sup> Zigbee is compatible with all speakers from Google. Requirements in this case, however, are a gateway belonging to one of our partner systems and the related app.



#### SMART+ ZIGBEE AND AMAZON

Your customer already owns a speaker from Amazon? Perfect! SMART<sup>+</sup> Zigbee is compatible with all the speaker models. Depending on the particular product generation, voice control is possible with or without a gateway.

#### **VOICE CONTROL WITHOUT SEPARATE GATEWAY**

With Amazon Echo Plus and Amazon Echo Show (2nd generation)



#### **VOICE CONTROL WITH SEPARATE GATEWAY**

For Amazon Echo, Amazon Echo Dot and Amazon Echo Show (1st generation)




# **VIEWING, TESTING, PURCHASING**

#### ATTRACTIVE, INFORMATIVE - AND EXPANDABLE USING FURTHER MODULES

The enticing SMART<sup>+</sup> main display rack features information and demo tools explaining the SMART<sup>+</sup> range of lamps and luminaires in a clear and simple manner to your customers. For additional cross-selling impulses the LEDVANCE & Google Starter Kits can be showcased. This POS system can be flexibly equipped and expanded as required.



# **: OUR DISPLAY RACK CONCEPT**



# POS SOLUTIONS FOR EVERY NEED



#### **HOUSE OF SMART**

The "House of Smart" is the conspicuous and comprehensive POS solution for large floor areas in lighting departments or check-out zones. The walk-around module showcases the SMART<sup>+</sup> range with a large number of demonstration products and gives your customers decisive product information.

#### **REQUIRE INDIVIDUAL SOLUTIONS?**

Not a problem! Simply get in touch with your contact at our customer service center.






#### **DEMO TOOL**

Ideal for selling LEDVANCE & Google Starter Kits: The Demo Tool is equipped with either a communication header or a screen (including video) – and contains samples of a Google Nest Mini and a SMART<sup>+</sup> lamp. Can be positioned in main rack or on stand-alone displays.



#### **DISPLAYS**

Ideal for fast sale of Bluetooth or WiFi products. Available in various versions.



#### **PERMANENT DISPLAY**


This wooden cabinet placement in 1.20 m width allows for versatile placement. Customer engagement occurs through an info-tool or a communication header.



#### PERMANENT DISPLAY

A wooden display in ¼ pallet dimensions with an info tool or communication header.

# **EVEN GREATER MOMENTUM FO**





#### **SMART<sup>+</sup> WEBSITE**

What sort of things can I do with smart lighting? How can I control it? Which technology is right for me? Many people still have a lot of questions about smart lighting. Our new SMART<sup>+</sup> web pages answer all of them – and guide customers through the list of potential applications and control methods (via app, voice command or gateway) to find the right technology for their particular situation. Clear, simply explained and readily understandable, with lots of application examples and testimonials from target groups. ledvance.com/consumer/smart

#### **SMART<sup>+</sup> INSTALLATION VIDEOS**

Simple handling is a decisive sales argument for the SMART<sup>+</sup> system. How easy it is to install and operate products is shown in our informative installation videos. Now available to view on our LEDVANCE Consumer YouTube channel.





# R YOUR SALES EFFORTS





#### SMART<sup>+</sup> FLYER


For customers who want to peruse things at their leisure, a complete range of material and basic information about the SMART<sup>+</sup> system is also available in printed form. Located at the PoS, this advertising material gives an additional boost to sales.

#### **SMART<sup>+</sup> TESTIMONIAL VIDEOS**

Emotional, authentic and totally convincing. In our testimonial videos, various target groups show how smart lighting has brought a completely new dynamic to their homes. Take a look here:

www.ledvance.de/consumer/smart or on our LEDVANCE German Consumer YouTube channel





# SMART<sup>+</sup> WIFI: SIMPLE INTRODUCTION – COUNTLESS POSSIBILITIES

For those who would like to primarily control their light with an app: SMART<sup>+</sup> WiFi is the simple – and particularly cost-effective – option for getting into smart lighting. At the same time a host of clever functions are offered and there is a very wide product portfolio available.

















# SMART<sup>+</sup> WIFI CLASSIC LAMP SHAPE SINGLE PACK

Product name	GTIN (EAN)		1			A	2			3		Ø		
		No.	w≙W)	W	lm	N.		K		<b>t</b> M	[mm]	Ø d [mm]		
SMART+ WiFi Classic Dimmable														O <sub>M</sub>
SMART+ WiFi Classic 100 14 W/2700K E27	4058075 <b>485471</b>	1	100	14.00	1521	E27	A+	2700	Yes	15000	141.5	75.0	4	4
SMART+ WiFi Classic 75 9.5 W/2700K E27	4058075 <b>485419</b>	1	75	9.50	1055	E27	A+	2700	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/2700K E27	4058075 <b>485358</b>	1	60	9.00	806	E27	A+	2700	Yes	15000	115.0	60.0	4	4
SMART+ Filament WiFi Classic A 60 5,5W E27	4058075 <b>528239</b>	2	60	5.50	806	E27	A++	2700	Yes	15000	105.0	60.0	4	4
													WA	
SMART+ WiFi Classic Tunable White													CO	
SMART+ WiFi Classic 100 14 W/27006500K E27	4058075 <b>485495</b>	1	100	14.00	1521	E27	A+	27006500	Yes	15000	141.5	75.0	4	4
SMART+ WiFi Classic 75 9.5 W/27006500K E27	4058075 <b>485433</b>	1	75	9.50	1055	E27	A+	27006500	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/27006500K B22d	4058075 <b>515642</b>	3	60	9.00	806	B22d	A+	27006500	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/27006500K E27	4058075 <b>485372</b>	1	60	9.00	806	E27	A+	27006500	Yes	15000	115.0	60.0	4	4
													RGBW WA	
SMART+ WiFi Classic Multicolour	1050075105510		100	1100	1501	F07	_	0700 0500		45000		75.0		
SMART+ WiFi Classic 100 14 W/27006500K E27	4058075 <b>485518</b>	1	100	14.00	1521	E27	A+	27006500	Yes	15000	141.5	75.0	4	4
SMART+ WiFi Classic 75 9.5 W/27006500K E27	4058075 <b>485457</b>	1	75	9.50	1055	E27	A+	27006500	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/27006500K B22d	4058075 <b>521414</b>	3	60	9.00	806	B22d	A+	27006500	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/27006500K E27	4058075 <b>485396</b>	1	60	9.00	806	E27	A+	27006500	Yes	15000	115.0	60.0	4	4












### SMART<sup>+</sup> WIFI CANDLE LAMPS SINGLE PACKS

GTIN (EAN)	No.	w≙W¹	W	lm	Ni	2	K		t[h] <sup>3</sup>	[mm]	Ø d [mm]		
													S <sub>DIM</sub>
4058075 <b>485532</b>	1	40	5.00	470	E14	A+	2700	Yes	20000	107.0	37.5	4	4
												WARI	
4058075 <b>485556</b>	1	40	5.00	470	E14	A+	27006500	Yes	20000	107.0	37.5	4	4
												RGBW WAR	
4058075 <b>485570</b>	2	40	5.00	470	E14	A+	27006500	Yes	20000	107.0	37.5	4	4
	4058075 <b>485532</b> 4058075 <b>485556</b>	4058075 <b>485532</b> 1  4058075 <b>485556</b> 1	4058075 <b>485532</b> 1 40 4058075 <b>485556</b> 1 40	4058075 <b>485532</b> 1 40 5.00 4058075 <b>485556</b> 1 40 5.00	4058075 <b>485532</b> 1 40 5.00 470 4058075 <b>485556</b> 1 40 5.00 470	4058075 <b>485532</b> 1 40 5.00 470 E14  4058075 <b>485556</b> 1 40 5.00 470 E14	4058075 <b>485532</b> 1 40 5.00 470 E14 A+  4058075 <b>485556</b> 1 40 5.00 470 E14 A+	4058075 <b>485532</b> 1 40 5.00 470 E14 A+ 2700 4058075 <b>485556</b> 1 40 5.00 470 E14 A+ 27006500	4058075 <b>485532</b> 1 40 5.00 470 E14 A+ 2700 Yes  4058075 <b>485556</b> 1 40 5.00 470 E14 A+ 27006500 Yes	4058075 <b>485532</b> 1 40 5.00 470 E14 A+ 2700 Yes 20000  4058075 <b>485556</b> 1 40 5.00 470 E14 A+ 27006500 Yes 20000	4058075 <b>485532</b> 1 40 5.00 470 E14 A+ 2700 Yes 20000 107.0  4058075 <b>485556</b> 1 40 5.00 470 E14 A+ 27006500 Yes 20000 107.0	4058075 <b>485532</b> 1 40 5.00 470 E14 A+ 2700 Yes 20000 107.0 37.5	4058075 <b>485532</b> 1 40 5.00 470 E14 A+ 2700 Yes 20000 107.0 37.5 4  4058075 <b>485556</b> 1 40 5.00 470 E14 A+ 27006500 Yes 20000 107.0 37.5 4










### SMART<sup>+</sup> WIFI MINI-GLOBE LAMPS SINGLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	(lm)	N.	Para Para Para Para Para Para Para Para	K		t[h] <sup>3</sup>	[mm]	Ø d [mm]		
SMART+ WiFi Mini Bulb Dimmable														O <sub>IM</sub>
SMART+ WiFi Mini bulb 40 5 W/2700K E14	4058075 <b>485594</b>	1	40	5.00	470	E14	A+	2700	Yes	20000	89.5	46.5	4	4
SMART+ WiFi Mini Bulb Tunable White													WAS	
SMART+ WiFi Mini bulb 40 5 W/27006500K E14	4058075 <b>485617</b>	2	40	5.00	470	E14	A+	27006500	Yes	20000	89.5	46.5	4	4
SMART+ WiFi Mini Bulb Multicolour													RGBW WAA	
SMART+ WiFi Mini bulb 40 5 W/27006500K E14	4058075 <b>485631</b>	3	40	5.00	470	E14	A+	27006500	Yes	20000	89.5	46.5	4	4









### SMART<sup>+</sup> WIFI FILAMENT LAMP WITH EDISON BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni-	2	K		<b>t</b> [h] <sup>8</sup>		Ø d [mm]		
SMART+ Filament Edison Dimmable														<b>DIM</b>
SMART+ Filament WiFi Classic Edison 60 5,5W E27	4058075 <b>528277</b>	1	60	5.50	806	E27	A++	2700	Yes	15000	143.0	64.0	4	4









### SMART<sup>+</sup> WIFI FILAMENT LAMP WITH GLOBE BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni.	2	K		<b>t</b> [h] <sup>3</sup>	[mm]	Ø d [mm]		
SMART+ Filament Globe Dimmable														
SMART+ WiFi Globe 60 FIL 5,5 W/2700K E27	4058075 <b>528291</b>	1	60	5.50	806	E27	A++	2400	Yes	15000	168.0	124.0	4	4














### SMART<sup>+</sup> WIFI REFLECTOR LAMPS SINGLE PACKS

Product name	GTIN (EAN)	No.	w≙W <sup>1</sup>	W	lm	Ni Ni	2	K		t[h] <sup>3</sup>		Ø d [mm]		
SMART+ WiFi SPOT GU10 Dimmable														<b>€</b>
SMART+ WiFi Spot 40 45° 5 W/2700K GU10	4058075 <b>485655</b>	1	40	5.00	350	GU10	A+	2700	Yes	20000	55.0	50.0	4	4
SMART+ WiFi SPOT GU10 Tunable White													WARM	
SMART+ WiFi Spot 40 45° 5 W/27006500K GU10	4058075 <b>485679</b>	2	40	5.00	350	GU10	A+	27006500	Yes	20000	55.0	50.0	4	4
SMART+ WiFi SPOT GU10 Multicolour													RGBW WARN	
SMART+ WiFi Spot 32 45° 5 W/27006500K GU10	4058075 <b>485693</b>	3	32	5.00	350	GU10	A+	27006500	Yes	20000	55.0	50.0	4	4











# SMART<sup>+</sup> WIFI CLASSIC LAMP SHAPE TRIPLE PACK

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	· N		K		t[h] <sup>3</sup>	[mm]	Ø d [mm]		
SMART+ WiFi Classic Dimmable Triple Pack														DIM
SMART+ WiFi Classic 100 14 W/2700K E27	4058075 <b>485839</b>	1	100	14.00	1521	E27	A+	2700	Yes	15000	141.5	75.0	12	12
SMART+ WiFi Classic 75 9.5 W/2700K E27	4058075 <b>485778</b>	1	75	9.50	1055	E27	A+	2700	Yes	15000	115.0	60.0	12	12
SMART+ WiFi Classic 60 9 W/2700K E27	4058075 <b>485716</b>	1	60	9.00	806	E27	A+	2700	Yes	15000	115.0	60.0	12	12
SMART+ WiFi Classic Tunable White Triple Pack													COO	
SMART+ WiFi Classic 100 14 W/27006500K E27	4058075 <b>485853</b>	1	100	14.00	1521	E27	A+	27006500	Yes	15000	141.5	75.0	12	12
SMART+ WiFi Classic 75 9.5 W/27006500K E27	4058075 <b>485792</b>	1	75	9.50	1055	E27	A+	27006500	Yes	15000	115.0	60.0	12	12
SMART+ WiFi Classic 60 9 W/27006500K B22d	4058075 <b>515666</b>	2	60	9.00	806	B22d	A+	27006500	Yes	15000	115.0	60.0	12	12
SMART+ WiFi Classic 60 9 W/27006500K E27	4058075 <b>485730</b>	1	60	9.00	806	E27	A+	27006500	Yes	15000	115.0	60.0	12	12
SMART+ WiFi Classic Multicolour Triple Pack													RGBW WAF	
SMART+ WiFi Classic 100 14 W/27006500K E27	4058075 <b>485877</b>	1	100	14.00	1521	E27	A+	27006500	Yes	15000	141.5	75.0	12	12
SMART+ WiFi Classic 75 9.5 W/27006500K E27	4058075 <b>485815</b>	1	75	9.50	1055	E27	A+	27006500	Yes	15000	115.0	60.0	12	12
SMART+ WiFi Classic 60 9 W/27006500K E27	4058075 <b>485754</b>	1	60	9.00	806	E27	A+	27006500	Yes	15000	115.0	60.0	12	12
SMART+ WiFi Classic 60 9 W/27006500K B22d	4058075 <b>515680</b>	2	60	9.00	806	B22d	A+	27006500	Yes	15000	115.0	60.0	12	12











### SMART<sup>+</sup> WIFI CANDLE LAMPS TRIPLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni-	<sup>2</sup>	K		t[h]°	[mm]	Ø d [mm]		
														O DIM
SMART+ WiFi Candle Dimmable Triple Pack	4050075 <b>405004</b>	- 1	40	F 00	470	E14	Λ.	0700	Yes	20000	107.0	27.5	10	_
SMART+ WiFi Candle 40 5 W/2700K E14	4058075 <b>485891</b>	- '	40	5.00	470	E14	A+	2700	tes	20000	107.0	37.5	12	12
SMART+ WiFi Candle Tunable White Triple Pack													WAR	
SMART+ WiFi Candle 40 5 W/27006500K E14	4058075 <b>485914</b>	1	40	5.00	470	E14	A+	27006500	Yes	20000	107.0	37.5	12	12
SMART+ WiFi Candle Multicolour Triple Pack													RGBW WAR	
SMART+ WiFi Candle 40 5 W/27006500K E14	4058075 <b>485938</b>	2	40	5.00	470	E14	A+	27006500	Yes	20000	107.0	37.5	12	12










# SMART<sup>+</sup> WIFI MINI-GLOBE LAMPS TRIPLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	(lm)	· Ni	2	K		t[h]	(mm)	Ø d [mm]		
SMART+ WiFi Mini Bulb Dimmable Triple Pack														O <sub>M</sub>
SMART+ WiFi Mini bulb 40 5 W/2700K E14	4058075 <b>485952</b>	1	40	5.00	470	E14	A+	2700	Yes	20000	89.5	46.5	12	12
SMART+ WiFi Mini Bulb Tunable White Triple Pack													WAF	
SMART+ WiFi Mini bulb 40 5 W/27006500K E14	4058075 <b>485976</b>	1	40	5.00	470	E14	A+	27006500	Yes	20000	89.5	46.5	12	12
SMART+ WiFi Mini Bulb Multicolour Triple Pack													RGBW WAF	
SMART+ WiFi Mini bulb 40 5 W/27006500K E14	4058075 <b>485990</b>	1	40	5.00	470	E14	A+	27006500	Yes	20000	89.5	46.5	12	12













#### SMART<sup>+</sup> WIFI REFLECTOR LAMPS TRIPLE PACKS

Product name	GTIN (EAN)	No.	w≙W <sup>1</sup>	W	lm	Ni Ni	2	K		t[h] <sup>s</sup>	[mm]	Ø d [mm]		
SMART+ WiFi SPOT GU10 Dimmable Triple Pack														(SIM
SMART+ WiFi Spot 40 45° 5 W/2700K GU10	4058075 <b>486010</b>	1	40	5.00	350	GU10	A+	2700	Yes	20000	55.0	50.0	12	12
SMART+ WiFi SPOT GU10 Tunable White Triple Pack													WARI	
SMART+ WiFi Spot 40 45° 5 W/27006500K GU10	4058075 <b>486034</b>	2	40	5.00	350	GU10	A+	27006500	Yes	20000	55.0	50.0	12	12
SMART+ WiFi SPOT GU10 Multicolour Triple Pack													RGBW WARI	
SMART+ WiFi Spot 32 45° 5 W/27006500K GU10	4058075 <b>486058</b>	3	32	5.00	350	GU10	A+	27006500	Yes	20000	55.0	50.0	12	12











#### SMART<sup>+</sup> WIFI PLUG INDOOR AND OUTDOOR

GTIN (EAN)	No.	SCHUTZ- KLASSE	A	COLOR	IP		
	_						
4058075 <b>522800</b>	1	I	10	White	IP20	4	4
4058075 <b>537248</b>	1	I	10	White	IP20	4	4
4058075 <b>532120</b>	2	I	16	White	IP44	8	8
	4058075 <b>522800</b> 4058075 <b>537248</b>	4058075 <b>522800</b> 1 4058075 <b>537248</b> 1	4058075 <b>522800</b> 1 I	4058075 <b>522800</b> 1 I 10	4058075 <b>522800</b> 1 I 10 White	4058075 <b>522800</b> 1 I 10 White IP20	4058075 <b>522800</b> 1 I 10 White IP20 4 4058075 <b>537248</b> 1 I 10 White IP20 4










#### SMART<sup>+</sup> WIFI REMOTE CONTROL

Product name	GTIN (EAN)	No.	COLOR	P		
SMART+ WiFi Remote Controller						
SMART+ WiFi Remote Controller DIM	4058075 <b>526938</b>	1	White	IP20	4	4



## SMART<sup>+</sup> WIFI PLANON™ FRAMELESS SQUARE

FRAMELESS, SQUARE PANEL LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI PLANON 600x600





SMART+ WIFI PLANON 450x450



3 SMART+ WIFI PLANON 300x300




























		No.	COLOR	MATERIAL	th	W	lm		K
Smart+ WIFI PLANON FRAMELESS TW 600x600	4058075 <b>484436</b>	1	White	Aluminum	25000	40.00	3400	A++/A+/A	30006500
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	4058075 <b>484474</b>	1	White	Aluminum	25000	40.00	3400	A++/A+/A	RGB, 30006000
SMART+ WIFI PLANON FRAMELESS TW 450x450	4058075 <b>484375</b>	2	White	Aluminum	25000	28.00	2300	A++/A+/A	30006500
SMART+ WIFI PLANON FRAMELESS TW 300x300	4058075 <b>484313</b>	3	White	Aluminum	25000	20.00	1600	A++/A+/A	30006500
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	4058075 <b>484351</b>	3	White	Aluminum	25000	20.00	1500	A++/A+/A	RGB, 30006000

CRI		IP		[mm]	b [mm]	h [mm]	
>80	110	IP20	15000	596.0	596.0	69.0	3
>80	110	IP20	15000	596.0	596.0	69.0	3
>80	110	IP20	15000	450.0	450.0	69.0	4
>80	110	IP20	15000	300.0	300.0	69.0	5
>80	110	IP20	15000	300.0	300.0	69.0	5
	>80 >80 >80 >80 >80	>80 110 >80 110 >80 110 >80 110	>80 110 IP20 >80 110 IP20 >80 110 IP20 >80 110 IP20	>80 110 IP20 15000 >80 110 IP20 15000 >80 110 IP20 15000 >80 110 IP20 15000	>80 110 IP20 15000 596.0 >80 110 IP20 15000 596.0 >80 110 IP20 15000 450.0 >80 110 IP20 15000 300.0	>80 110 IP20 15000 596.0 596.0 >80 110 IP20 15000 596.0 596.0 >80 110 IP20 15000 450.0 450.0 >80 110 IP20 15000 300.0 300.0	>80 110 IP20 15000 596.0 596.0 69.0 >80 110 IP20 15000 596.0 596.0 69.0 >80 110 IP20 15000 450.0 450.0 69.0 >80 110 IP20 15000 300.0 300.0 69.0

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

#### SMART<sup>+</sup> WIFI PLANON™ FRAMELESS RECTANGULAR

RECTANGULAR LIGHT PANELS WITHOUT FRAMES – WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1 SMART+ WIFI PLANON 1200x300





SMART+ WIFI PLANON 1200x100





3 SMART+ WIFI PLANON 600x300







5 SMART+ WIFI PLANON 800x100



6 SMART+ WIFI PLANON 400x100


























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t <sub>[h]</sub> <sup>2</sup>	W	lm	3	K
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300**	4058075 <b>484511</b>	1	White	Aluminum	25000	40.00	3300	A++/A+/A	RGB, 30006500
SMART+ WIFI PLANON FRAMELESS TW 1200x300	4058075 <b>484498</b>	1	White	Aluminum	25000	40.00	3400	A++/A+/A	30006500
SMART+ WIFI PLANON FRAMELESS TW 1200x100	4058075 <b>484535</b>	2	White	Aluminum	25000	35.00	2500	A++/A+/A	30006500
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	4058075 <b>484573</b>	2	White	Aluminum	25000	35.00	2500	A++/A+/A	RGB, 30006500
SMART+ WIFI PLANON FRAMELESS TW 600x300	4058075 <b>484412</b>	3	White	Aluminum	25000	28.00	2100	A++/A+/A	30006500
SMART+ WIFI PLANON FRAMELESS TW 600x100	4058075 <b>484610</b>	4	White	Aluminum	25000	28.00	1800	A++/A+/A	30006500
SMART+ WIFI PLANON FRAMELESS TW 800x100	4058075 <b>484597</b>	5	White	Aluminum	25000	27.00	2000	A++/A+/A	30006500
SMART+ WIFI PLANON FRAMELESS TW 400x100	4058075 <b>484634</b>	6	White	Aluminum	25000	16.00	1050	A++/A+/A	30006500

Product name	CRI		IP		[mm]	<u>b</u>	(h <sub>[mm]</sub>	<b>3</b>
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300 **	>80	110	IP20	15000	1200.0	300.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 1200x300	>80	110	IP20	15000	1200.0	300.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 1200x100	>80	110	IP20	15000	1200.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100 **	>80	110	IP20	15000	1200.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 600x300	>80	110	IP20	15000	600.0	300.0	69.0	4
SMART+ WIFI PLANON FRAMELESS TW 600x100	>80	110	IP20	15000	600.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 800x100	>80	110	IP20	15000	800.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 400x100	>80	110	IP20	15000	400.0	100.0	65.0	9

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

#### SMART<sup>+</sup> WIFI PLANON™ FRAMELESS ROUND

ROUND WALL AND CEILING LUMINAIRES IN FRAMELESS DESIGNS – WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI PLANON 450



2 SMART+ WIFI PLANON 300



























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] <sup>2</sup>	W	lm	3 S	K
SMART+ WIFI PLANON FRAMELESS TW 450	4058075 <b>484719</b>	1	White	Aluminum	25000	28.00	2700	A++/A+/A	30006500
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	4058075 <b>484696</b>	2	White	Aluminum	25000	20.00	1600	A++/A+/A	RGB, 30006500
SMART+ WIELPLANON FRAMELESS TW 300	4058075 <b>484672</b>	2	White	Aluminum	25000	20.00	1700	Δ/Δ/Δ	3000 6500

Product name  CRI (CRI) IP (B) (III) (III)
SMART+ WIFI PLANON FRAMELESS TW 450         >80         110         IP20         15000         65.0         450.0         5
SMART+ WIFI PLANON FRAMELESS TW RGB 300** >80 110 IP20 15000 69.0 300.0 5
SMART+ WIFI PLANON FRAMELESS TW 300 >80 110 IP20 15000 65.0 300.0 5

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## SMART<sup>+</sup> WIFI PLANON™ PLUS SQUARE

SQUARE PANEL LUMINAIRES FOR CEILING MOUNTING – WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





SMART+ WIFI PLANON PLUS TW 600x600







2 SMART+ WIFI PLANON PLUS TW 450x450







3 SMART+ WIFI PLANON PLUS TW 300x300









Product name





GTIN (EAN)


















		No.	COLON	MATERIAL	Ulh	W	<b>W</b>		TV.
SMART+ WIFI PLANON PLUS TW 600x600***	4058075525382	1	White	Aluminum	25000	36.00	2800	A++/A+/A	30006500
SMART+ WIFI PLANON PLUS TW 450x450***	4058075525337	2	White	Aluminum	25000	28.00	2000	A++/A+/A	30006500
SMART+ WIFI PLANON PLUS TW 300x300***	4058075525313	3	White	Aluminum	25000	20.00	1400	A++/A+/A	30006500
SMART+ WIFI PLANON PLUS RGBW 600x600**	4058075525269	-	White	Aluminum	25000	36.00	3000	A++/A+/A	RGB, 3000
SMART+ WIFI PLANON PLUS RGBW 450x450**	4058075525221	-	White	Aluminum	25000	28.00	2000	A++/A+/A	RGB, 3000
SMART+ WIFI PLANON PLUS RGBW 300x300**	4058075495708	-	White	Aluminum	25000	20.00	1400	A++/A+/A	RGB, 3000

Product name	CRI		IP		[mm]	(mm)	(h <sub>[mm]</sub>	<b>3</b>
SMART+ WIFI PLANON PLUS TW 600x600***	≥80	110	IP20	15000	595.0	595.0	56.0	3
SMART+ WIFI PLANON PLUS TW 450x450***	≥80	110	IP20	15000	450,0	450.0	56.0	4
SMART+ WIFI PLANON PLUS TW 300x300***	≥80	110	IP20	15000	300,0	300.0	56.0	5
SMART+ WIFI PLANON PLUS RGBW 600x600**	≥80	110	IP20	15000	595.0	595.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 450x450**	≥80	110	IP20	15000	450.0	450.0	56.0	4
SMART+ WIFI PLANON PLUS RGBW 300x300**	≥80	110	IP20	15000	300.0	300.0	56.0	5

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

#### SMART<sup>+</sup> WIFI PLANON™ PLUS RECTANGULAR

RECTANGULAR PANEL LUMINAIRES FOR CEILING MOUNTING – WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





1 SMART+ WIFI PLANON PLUS TW 1200x300





SMART+ WIFI PLANON PLUS TW 600x300





























		No.	COLOR	MATERIAL	th	W	lm		K
SMART+ WIFI PLANON PLUS TW 1200x300***	4058075525405	1	White	Aluminum	25000	36	2800	A++/A+/A	30006500
SMART+ WIFI PLANON PLUS RGBW 1200x300**	4058075525290	1	White	Aluminum	25000	36	3000	A++/A+/A	RGB, 3000
SMART+ WIFI PLANON PLUS RGBW 600x300**	4058075525245	2	White	Aluminum	25000	28	2000	A++/A+/A	RGB, 3000
SMART+ WIFI PLANON PLUS TW 600x300***	4058075525368	2	White	Aluminum	25000	22	1600	A++/A+/A	30006500

Product name	CRI		(IP)		[mm]	b [mm]	(In [mm]	
SMART+ WIFI PLANON PLUS TW 1200x300**	≥80	110	IP20	15000	1200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 1200x300*	≥80	110	IP20	15000	1200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 600x300*	≥80	110	IP20	15000	595.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS TW 600x300**	≥80	110	IP20	15000	595.0	300.0	56.0	3

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## SMART<sup>+</sup> WIFI ORBIS® DONUT


WALL AND CEILING LUMINAIRE IN A STYLISH DONUT DESIGN – WITH TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS Donut 400 WT






<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> WIFI ORBIS® KITE**

TIMELESSLY MODERN CEILING LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI ORBIS Kite 510 WT TW



SMART+ WIFI ORBIS Kite 410 WT TW



3 SMART+ WIFI ORBIS KITE 340 WT TW




























		No.	COLOR	MATERIAL	UN	W	um		K	CRI
SMART+ WIFI ORBIS Kite 510 WT	4058075 <b>486348</b>	1	White	Steel	30000	32.00	3300	A++/A+/A	30006500	>80
SMART+ WIFI ORBIS Kite 410 WT	4058075 <b>486324</b>	2	White	Steel	30000	24.00	2500	A++/A+/A	30006500	>80
SMART+ WIFI ORBIS KITE TW RGB 340 WT**	4058075 <b>495685</b>	3	White	Steel	25000	18.00	1400	A++/A+/A	27006500	80

Product name		IP		h	Ø d [mm]	<b>6</b>
SMART+ WIFI ORBIS Kite 510 WT	110	IP20	15000	83.0	510.0	3
SMART+ WIFI ORBIS Kite 410 WT	110	IP20	15000	68.0	410.0	3
SMART+ WIFI ORBIS KITE TW RGB 340 WT	120	IP20	15000	80.0	340.0	5

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> WIFI ORBIS® MOON**

CEILING LUMINAIRES IN AN ATTRACTIVE LUNAR LOOK – WITH TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS Moon 480 BK



SMART+ WIFI ORBIS Moon 480 GR



3 SMART+ WIFI ORBIS Moon 380 BK



SMART+ WIFI ORBIS Moon 380 GR







GTIN (EAN)




















SMART+ WIFI ORBIS Moon 480 BK	4058075 <b>486386</b>	1	Black	Polymethylmethacrylate (PMMA)	30000	32.00	3300	A++/A+/A	30006500
SMART+ WIFI ORBIS Moon 480 GR	4058075 <b>486423</b>	2	Gray	Polymethylmethacrylate (PMMA)	30000	32.00	3300	A++/A+/A	30006500
SMART+ WIFI ORBIS Moon 380 BK	4058075 <b>486362</b>	3	Black	Polymethylmethacrylate (PMMA)	30000	24.00	2500	A++/A+/A	30006500
SMART+ WIFI ORBIS Moon 380 GR	4058075 <b>486409</b>	4	Gray	Polymethylmethacrylate (PMMA)	30000	24.00	2500	A++/A+/A	30006500
Product name									

	CRI		(IP)	<u>G</u>	[mm]	d [mm]	
SMART+ WIFI ORBIS Moon 480 BK	>80	110	IP20	15000	86.0	480.0	3
SMART+ WIFI ORBIS Moon 480 GR	>80	110	IP20	15000	86.0	480.0	3
SMART+ WIFI ORBIS Moon 380 BK	>80	110	IP20	15000	85.0	380.0	3
SMART+ WIFI ORBIS Moon 380 GR	>80	110	IP20	15000	85.0	380.0	3

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

# SMART<sup>+</sup> WIFI ORBIS® PLATE

CEILING LUMINAIRES IN MODERN MINIMALIST DESIGNS – WITH TUNABLE WHITE FUNCTION; FRAMES IN WHITE AND GRAY





SMART+ WIFI ORBIS Plate 430 WT

SMART+ WIFI ORBIS Plate 430 GR

>80

110


IP20

15000



SMART+ WIFI ORBIS Plate 430 GR





70.0


430.0

3

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

### **SMART<sup>+</sup> WIFI ORBIS® CROMO**


CEILING LUMINAIRE IN A PLAYFUL IRREGULAR LOOK – WITH TUNABLE WHITE FUNCTION; DESIGNS IN CHROME AND WHITE





SMART+ WIFI ORBIS Cromo 500 CR





<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## SMART<sup>+</sup> WIFI ORBIS® FRAME

CEILING LUMINAIRE WITH AN ILLUMINATED FRAME AND TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS Frame 500 WT





<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

# SMART<sup>+</sup> WIFI ORBIS® EYE

PURISTIC CEILING LUMINAIRES WITH TUNABLE WHITE FUNCTION; DESIGNS IN GRAY AND WHITE





SMART+ WIFI ORBIS Eye 490 WT

SMART+ WIFI ORBIS Eye 490 GR



2 SMART+ WIFI ORBIS Eye 490 GR



A++/A+/A

3000...6500



4058075**486546** 

	•				•
methylmethacrylate (PMMA)	30000	32.00	3300	A++/A+/A	3000 6500

3300

32.00

30000

Product name	CRI		IP		ţh [mm]	Ø d [mm]	
SMART+ WIFI ORBIS Eye 490 WT	>80	110	IP20	15000	75.5	490.0	3
SMART+ WIFI ORBIS Eye 490 GR	>80	110	IP20	15000	75.5	490.0	3

Polymethylmethacrylate (PMMA)

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

### **SMART<sup>+</sup> WIFI ORBIS® CYLINDER**

CEILING LUMINAIRES IN CYLINDRICAL DESIGNS WITH AESTHETIC LIGHTING EFFECT AND TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS Cylinder 450 WT



2 SMART+ WIFI ORBIS Cylinder 450 GR





Product name	CRI		IP		(mm)	Ø d [mm]	<b>a</b>
SMART+ WIFI ORBIS Cylinder 450 WT	>80	110	IP20	15000	134.0	450.0	3
SMART+ WIFI ORBIS Cylinder 450 GR	>80	110	IP20	15000	134.0	450.0	3

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39 . | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

# SMART<sup>+</sup> WIFI ORBIS® SPIRAL


CEILING LUMINAIRE IN A SPIRAL DESIGN WITH EXCEPTIONAL LIGHTING EFFECT AND WHITE LIGHT CONTROL





1 SMART+ WIFI ORBIS Spiral 500 WT






<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

### **SMART<sup>+</sup> WIFI FLEX MULTICOLOR**

FLEXIBLE, EXPANDABLE LED STRIP WITH WHITE LIGHT AND RGB FUNCTION





SMART WIFI FLEX RGBTW 2M



2 SMART WIFI FLEX RGBTW 1M Extension





Product name





GTIN (EAN)

















		No.	MATERIAL	UN	W	lm	B	K	GRI
SMART WIFI FLEX RGBTW 2M	4058075 <b>515932</b>	1	Silicone	30000	8.50	550	A++/A+/A	2000 6500	>80
SMART WIFI FLEX RGBTW 1M Extension	4058075 <b>523838</b>	2	Silicone	30000	3.60	320	A++/A+/A	2000 6500	>80

Product name		IP		[mm]	<u>b</u>	ţh <sub>[mm]</sub>	
OMADT WIFE ELEV DODTWOM	440	IDOO	15000	2000	100		
SMART WIFI FLEX RGBTW 2M  SMART WIFI FLEX RGBTW 1M Extension	110	IP20	15000	2000.0	10.0	2.6	4
SMART WIFT FLEX RGBTW TW EXTENSION	110	IP20	15000	1000.0	10.0	2.6	4

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> WIFI CUBE MULTICOLOR**

STYLISH WALL AND BOLLARD LUMINAIRES WITH COLOR-CHANGING FUNCTION





SMART+ WIFI CUBE UpDown



2 SMART+ WIFI CUBE 80CM Post



3 SMART+ WIFI CUBE 50CM Post



4 SMART+ WIFI CUBE Wall









GTIN (EAN)


















SMART+ WIFI CUBE UpDown	4058075 <b>478077</b>	1	Dark gray	Aluminum	25000	13.50	900	A++/A+/A	RGB, 3000
SMART+ WIFI CUBE 80CM Post	4058075 <b>478176</b>	2	Dark gray	Aluminum	25000	9.50	450	A++/A+/A	RGB, 3000
SMART+ WIFI CUBE 50CM Post	4058075 <b>478152</b>	3	Dark gray	Aluminum	25000	9.50	450	A++/A+/A	RGB, 3000
SMART+ WIFI CUBE Wall	4058075 <b>478114</b>	4	Dark gray	Aluminum	25000	9.50	450	A++/A+/A	RGB, 3000
Product name				<b>A A</b>					

	CRI		UP)		[mm]	[mm]	[mm]	
SMART+ WIFI CUBE UpDown	≥80	315	IP44	12500	110.0	80.0	205.0	4
SMART+ WIFI CUBE 80CM Post	≥80	205	IP44	12500	120.0	120.0	800.0	2
SMART+ WIFI CUBE 50CM Post	≥80	205	IP44	12500	120.0	120.0	500.0	2
SMART+ WIFI CUBE Wall	≥80	205	IP44	12500	110.0	80.0	116.0	4

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

### **SMART<sup>+</sup> WIFI LANTERN FLARE MULTICOLOR**

WALL AND BOLLARD LUMINAIRES IN FLARE DESIGNS WITH COLOR-CHANGING FUNCTION





1 SMART+ WIFI FLARE Wall

SMART+ WIFI FLARE Wall

SMART+ WIFI FLARE 60CM Post



2 SMART+ WIFI FLARE 60CM Post





12500

12500

331.0

604.0

110.0

2

IP44

IP44


≥80

230

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39.   1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/	
guarantee   2 Average lifetime in hours   3 Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest	
efficiency) to E (lowest efficiency).	

## SMART<sup>+</sup> WIFI CURVE MULTICOLOR

WALL LUMINAIRES IN AESTHETIC CURVED DESIGNS WITH COLOR-CHANGING FUNCTION





SMART+ WIFI CURVE DG



SMART+ WIFI CURVE SI





SMART+ WIFI CURVE DG

SMART+ WIFI CURVE SI





260

260

IP44

≥80

















ENABLED	• Hey coogle		SMART+	W	IFIL	INTEGRATED	DI	М		Z year guarantee	
Product name	GTIN (E <i>i</i>	AN)	No.	COLOR		MATERIAL	<b>t</b> h 2	W	lm	S S S S S S S S S S S S S S S S S S S	K
SMART+ WIFI CURVE DG	405807547	78336	1	Dark gray		Aluminum	25000	9.00	520	A++/A+/A	RGB, 3000
SMART+ WIFI CURVE SI	405807547	78350	2	Silver		Aluminum	25000	9.00	520	A++/A+/A	RGB, 3000
Product name	CRI		IP		[mm]	[mm]	ţh <sub>[mm]</sub>	<b>a</b>			

12500

12500

93.0

93.0

100.0

100.0

248.0


248.0

4

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> WIFI GARDEN POLE MULTICOLOR**

DECORATIVE, EXPANDABLE GARDEN LIGHTING WITH COLOR-CHANGING FUNCTION





SMART+ WIFI GARDEN 5 Pole



2 SMART+ WIFI GARDEN 5 Pole mini



3 SMART+ WIFI GARDEN 3 Pole extension



4 SMART+ WIFI GARDEN 3 Pole mini extension









GTIN (EAN)


















		No.	COLOR	MATERIAL	LIM	W	<b>w</b>		IN IN
SMART+ WIFI GARDEN 5 Pole	4058075 <b>478213</b>	1	Steel	Stainless steel	25000	5.70	180	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 5 Pole mini	4058075 <b>478190</b>	2	Steel	Stainless steel	25000	3.80	80	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 3 Pole extension	4058075 <b>478251</b>	3	Steel	Stainless steel	25000	3.10	45	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 3 Pole mini extension	4058075 <b>478237</b>	4	Steel	Stainless steel	25000	1.90	108	A++/A+/A	RGB, 3000
Product name					Ø				

CRI (IP) (IP) (In) (In) (In) (In) (In) (In) (In) (In	
SMART+ WIFI GARDEN 5 Pole ≥80 280 IP65 12500 38.0 365.0 3	38.0 4
SMART+ WIFI GARDEN 5 Pole mini ≥80 280 IP65 12500 22.0 227.0 2	22.0 4
SMART+ WIFI GARDEN 3 Pole extension ≥80 280 IP65 12500 38.0 365.0 3	38.0 4
SMART+ WIFI GARDEN 3 Pole mini extension ≥80 280 IP65 12500 22.0 227.0 2	22.0 4

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> WIFI GARDEN SPOT MULTICOLOR**

COMPACT SPOTLIGHTS FOR GARDENS AND TERRACES WITH COLOR-CHANGING FUNCTION





SMART+ WIFI GARDEN 3 Spot





SMART+ WIFI GARDEN 1 Spot





3 SMART+ WIFI GARDEN 1 Spot extension







Product name





GTIN (EAN)


















		No.		GIIII	W	•		w
			·					
SMART+ WIFI GARDEN 3 Spot	4058075 <b>478497</b>	1 Dark gra	y Aluminum	25000	14.50	680	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 1 Spot	4058075 <b>478374</b>	2 Dark gra	y Aluminum	25000	5.00	260	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 1 Spot extension	4058075 <b>478398</b>	3 Dark gra	y Aluminum	25000	4.50	260	A++/A+/A	RGB, 3000


MART+ WIFI GARDEN 1 Spot ≥80 76 IP65 12500 145.0 90.0 295.0 4	Product name	CRI		IP		[mm]	b [mm]	h <sub>[mm]</sub>	
MART+ WIFI GARDEN 1 Spot ≥80 76 IP65 12500 145.0 90.0 295.0 4									
·	SMART+ WIFI GARDEN 3 Spot	≥80	76	IP65	12500	145.0	90.0	295.0	4
MART+ WIFI GARDEN 1 Soot extension ≥80 76 IP65 12500 145.0 90.0 295.0 4	SMART+ WIFI GARDEN 1 Spot	≥80	76	IP65	12500	145.0	90.0	295.0	4
	SMART+ WIFI GARDEN 1 Spot extension	≥80	76	IP65	12500	145.0	90.0	295.0	4

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> WIFI GARDEN DOT MULTICOLOR**

SMALL GARDEN SPOTLIGHTS WITH FLEXIBLE MOUNTING AND COLOR-CHANGING FUNCTION





SMART+ WIFI GARDEN 18 Dot







2 SMART+ WIFI GARDEN 9 Dot





3 SMART+ WIFI GARDEN 3 Dot extension







Product name





GTIN (EAN)


















					W .			No.			
+/A+/A	A++/A+/A	A++/A+/A	380	680	4.00	25000	Polycarbonate (PC)	Transparent	1	4058075 <b>478558</b>	SMART+ WIFI GARDEN 18 Dot
+/A+/A	A++/A+/A	A++/A+/A	380	380	2.50	25000	Polycarbonate (PC)	Transparent	2	4058075 <b>478534</b>	SMART+ WIFI GARDEN 9 Dot
+/A+/A	A++/A+/A	A++/A+/A	110	110	0.70	25000	Polycarbonate (PC)	Transparent	3	4058075 <b>478572</b>	SMART+ WIFI GARDEN 3 Dot extension
A+	1		10	110	0.70	25000	Polycarbonate (PC)	Transparent	3	4058075 <b>478572</b>	SMART+ WIFI GARDEN 3 Dot extension

Product name		IP		[mm]	ţh <sub>[mm]</sub>	Ø d [mm]	
SMART+ WIFI GARDEN 18 Dot	33	IP65	12500	23.0	96.0	23.0	4
SMART+ WIFI GARDEN 9 Dot	33	IP65	12500	23.0	96.0	23.0	4
SMART+ WIFI GARDEN 3 Dot extension	33	IP65	12500	23.0	96.0	23.0	4

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> WIFI NEON FLEX MULTICOLOR**

DECORATIVE LED STRIPS WITH PARTICULARLY HOMOGENEOUS LIGHT DISTRIBUTION – FOR INDOORS AND OUTDOORS





SMART+ WIFI NEON FLEX





Fround Hallic		(IP)		[mm]	[mm]	h [mm]	<u>a</u>
SMART+ WIFI NEON FLEX 5M	110	IP44	15000	5000.0	8.8	17.5	4
SMART+ WIFI NEON FLEX 3M	110	IP44	15000	3000.0	8.8	17.5	4

<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).


# SMART<sup>+</sup> WIFI FLOOD CAMERA

FLOODLIGHTS WITH AN INTEGRATED CAMERA, INTERCOM, MOTION AND DAYLIGHT SENSOR









<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> WIFI FLOOD**

EXTREMELY LOW-PROFILE AND ROBUST FLOODLIGHTS IN DIFFERENT SIZES – ALSO AVAILABLE WITH RGB FUNCTION





SMART+ WIFI FLOOD 50 W



2 SMART+ WIFI FLOOD 30W





3 SMART+ WIFI FLOOD 20W





4 SMART+ WIFI FLOOD 10W



Product name









GTIN (EAN)

















		No.		Gib.	W			•
SMART+ WIFI FLOOD 50 W	4058075 <b>474666</b>	1 Dark gray	Aluminum	30000	50.00	4250	A++/A+/A	3000
SMART+ WIFI FLOOD 30W	4058075 <b>474642</b>	2 Dark gray	Aluminum	30000	30.00	2190	A++/A+/A	RGB, 3000
SMART+ WIFI FLOOD 20W	4058075 <b>474628</b>	3 Dark gray	Aluminum	30000	20.00	1260	A++/A+/A	RGB, 3000
SMART+ WIFI FLOOD 10W	4058075 <b>474604</b>	4 Dark gray	Aluminum	30000	10.00	630	A++/A+/A	RGB, 3000

Product name	CRI		IP		[mm]	b [mm]	h [mm]	
SMART+ WIFI FLOOD 50 W	≥80	100	IP65	30000	237.0	200.0	36.0	8
SMART+ WIFI FLOOD 30W	≥80	100	IP65	30000	209.0	168.0	30.0	12
SMART+ WIFI FLOOD 20W	≥80	100	IP65	30000	152.0	125.0	28.0	12
SMART+ WIFI FLOOD 10W	≥80	100	IP65	30000	152.0	125.0	28.0	12


<sup>\*</sup> Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

# SMART + BLUETOOTH: SMART LIGHT VIA VOICE COMMAND

For those who would like to control their light via voice: SMART<sup>+</sup> Bluetooth is perfectly tailored to work together with a smart speaker from Google. An attractive choice of SMART<sup>+</sup> Bluetooth products are available to choose from. And the coverage of the network is extended via the Bluetooth Mesh Function with every additional product connected in series.























#### SMART<sup>+</sup> BLUETOOTH CLASSIC LAMP SHAPE

Product name	GTIN (EAN)	No.	w≙W <sup>1</sup>	W	lm	N	2	K		t[h] <sup>3</sup>		Ø d [mm]		
SMART+ Filament Classic Dimmable														
SMART+ BT CLA67 100 11 W/2700K E27	4058075 <b>486089</b>	1	100	11.00	1521	E27	A++	2700	Yes	15000	133.0	67.0	4	4
SMART+ BT CLA60 44 6 W/2700K E27	4058075 <b>486126</b>	2	44	6.00	540	E27	A+	2700	Yes	15000	105.0	60.0	4	4
SMART+ BT CLA60 55 6 W/2400K E27	4058075 <b>208582</b>	3	55	6.00	725	E27	A++	2400	Yes	15000	105.0	60.0	4	4
SMART+ BT CLA60 60 6 W/2700K B22	4058075 <b>486201</b>	4	60	6.00	806	B22	A++	2700	Yes	15000	118.0	60.0	4	4
SMART+ BT CLA60 60 6 W/2700K E27	4058075 <b>208551</b>	5	60	6.00	806	E27	A++	2700	Yes	15000	105.0	60.0	4	4
SMART+ Classic Dimmable														
SMART+ BT CLA60 60 9 W/2700K E27	4058075 <b>208506</b>	4	60	9.00	806	E27	A+	2700	Yes	20000	120.0	60.0	4	4
SMART+ Classic Tunable White													WAF	
SMART+ BT Classic 60 9 W/27006500K E27	4058075 <b>485198</b>	4	60	9.00	806	E27	A+	27006500	Yes	20000	115.0	60.0	4	4
SMART+ Classic Multicolour													RGBW WAF	
SMART+ BT CLA60 60 10 W B22d	4058075 <b>208476</b>	6	60	9.00	806	B22d	A+	27006500	Yes	20000	115.0	60.0	4	4
SMART+ BT CLA60 60 10 W E27	4058075 <b>208469</b>	4	60	9.00	806	E27	A+	27006500	Yes	20000	115.0	60.0	4	4











#### SMART<sup>+</sup> BLUETOOTH CANDLE LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	(lm)	Ni	2	K		t[h]		Ø d [mm]		
SMART+ Filament Classic Dimmable														
SMART+ BT CLB 40 4 W/2700K E14	4058075 <b>486102</b>	1	40	4.00	470	E14	A++	2700	Yes	15000	118.0	35.0	4	4
SMART+ Candle Dimmable														OM O
SMART+ BT Candle 40 5 W/2700K E14	4058075 <b>485211</b>	2	40	5.00	470	E14	A+	2700	Yes	20000	114.0	38.0	4	4
SMART+ Candle Tunable White													WAR	
SMART+ BT Candle 40 5 W/27006500K E14	4058075 <b>485235</b>	2	40	5.00	470	E14	A+	27006500	Yes	20000	114.0	38.0	4	4









#### SMART<sup>+</sup> BLUETOOTH MINI-GLOBE LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	N.	2	K		<b>t</b> [h] <sup>3</sup>		Ø d [mm]		
SMART+ Mini bulb Dimmable														O <sub>DM</sub>
SMART+ BT Mini bulb 40 5 W/2700K E14	4058075 <b>485259</b>	1	40	5.00	470	E14	A+	2700	Yes	20000	78.0	40.0	4	4
SMART+ Mini bulb Tunable White													WA	
SMART+ BT Mini bulb 40 5 W/27006500K E14	4058075 <b>485273</b>	1	40	5.00	470	E14	A+	27006500	Yes	20000	78.0	40.0	4	4













#### SMART<sup>+</sup> BLUETOOTH FILAMENT LAMPS WITH EDISON BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	N.	2	K		<b>t</b> [h]	[mm]	Ø d [mm]		
SMART+ Filament Edison Dimmable														DIM
SMART BTE60D 6W/827 230V FILSME27X1LEDV	4058075 <b>486140</b>	1	44	6.00	540	E27	A+	2700	Yes	15000	143.0	64.0	4	4
SMART+ BT CLA EDISON 55 6 W/2400K E27	4058075 <b>208605</b>	2	55	6.00	725	E27	A++	2400	Yes	15000	143.0	64.0	4	4
SMART+ BT CLA EDISON 60 6 W/2700K E27	4058075 <b>208575</b>	3	60	6.00	806	E27	A++	2700	Yes	15000	143.0	64.0	4	4















#### SMART<sup>+</sup> BLUETOOTH FILAMENT LAMPS WITH GLOBE BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni	2	K		t <sub>[h]</sub> <sup>3</sup>	[mm]	Ø d [mm]		
SMART+ Filament Globe Dimmable														OIM OIM
SMART+ BT CLA GLOBE125 48 6 W/2700K E27	4058075 <b>486164</b>	1	48	6.00	600	E27	A+	2700	Yes	15000	168.0	124.0	4	4
SMART+ BT CLA GL0BE60 55 6 W/2400K E27	4058075 <b>208599</b>	2	55	6.00	725	E27	A++	2400	Yes	15000	168.0	124.0	4	4
SMART+ BT CLA GL0BE60 60 6 W/2700K E27	4058075 <b>208568</b>	3	60	6.00	806	E27	A++	2700	Yes	15000	168.0	124.0	4	4
SMART+ BT CLA GLOBE200 37 6 W/2700K E27	4058075 <b>486188</b>	4	37	6.00	430	E27	A+	2700	Yes	15000	290.0	200.0	2	2














#### SMART<sup>+</sup> BLUETOOTH REFLECTOR LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni.	2	K		t[h]°		Ø d [mm]		
SMART+ Spot GU10 Dimmable														
SMART+ BT SPOT 40 45° 5 W/2700K GU10	4058075 <b>485297</b>	1	40	5.00	350	GU10	A+	2700	Yes	20000	58.0	50.0	4	4
SMART+ Spot GU10 Tunable White													WAR	
SMART+ BT SP0T 40 45° 5 W/27006500K GU10	4058075 <b>485310</b>	2	40	5.00	350	GU10	A+	27006500	Yes	20000	55.0	50.0	4	4
SMART+ Spot GU10 Multicolour													RGBW WAR	
SMART+ BT SPOT 40 100° 5 W/27006500K GU10	4058075 <b>485334</b>	3	40	5.00	350	GU10	A+	27006500	Yes	20000	58.0	50.0	4	4













#### SMART<sup>+</sup> BLUETOOTH PLUG INDOOR AND OUTDOOR

Product name	GTIN (EAN)	No.	SCHUTZ- KLASSE	A	COLOR	IP		<b>6</b>
SMART+ Outdoor Plug								
SMART+ BT OUTDOOR PLUG EU	4058075 <b>503106</b>	1	I	16	White	IP44	8	8
SMART+ Plug								
SMART+ BT PLUG EU	4058075 <b>208513</b>	2	1	16	White	IP20	4	4
SMART+ BT PLUG UK	4058075 <b>208520</b>	3	- 1	13	White	IP20	4	4










#### SMART<sup>+</sup> BLUETOOTH STARTER KITS WITH GOOGLE NEST MINI

Product name	GTIN (EAN)	No.		
		No.		
STARTER KIT SMART HOME				
Google Mini Bundle chalk Classic A60 FIL DIM E27 BT	4058075 <b>463493</b>	1	2	2
Google Mini Bundle black Classic A60 FIL DIM E27 BT	4058075 <b>463516</b>	2	2	2
Google Mini Bundle coral Classic A60 FIL DIM E27 BT	4058075 <b>463530</b>	3	2	2
STARTER KIT SMART HOME				
Google Mini Bundle chalk Classic A60 FR RGBW E27 BT	4058075 <b>487444</b>	4	2	2
Google Mini Bundle black Classic A60 FR RGBW E27 BT	4058075 <b>487468</b>	5	2	2
STARTER KIT SMART HOME				
Google Mini Bundle black Indoor Plug BT	4058075 <b>487482</b>	6	2	2
STARTER KIT SMART HOME				
Google Mini Bundle chalk Indoor Flex RGBW	4058075 <b>487505</b>	7	2	2



## SMART<sup>+</sup> BLUETOOTH TIBEA

AESTHETIC WALL AND CEILING LUMINAIRES – INCLUDING THE RIGHT BLUETOOTH LAMPS





SMART+ BT TIBEA Lamp 22 W E27 Tunable White



2 SMART+ BT TIBEA Pendant Tunable White



SMART+ BT TIBEA Ceiling Tunable White





4 SMART+ BT TIBEA MINI Tunable White






Product name IP	[mm]	(h <sub>[mm]</sub>	Ø d [mm]	<b>3</b>
SMART+ BT TIBEA Lamp 22W E27 Tunable White IP20 10000	0 -	67.0	180.0	4
SMART+ BT TIBEA Pendant Tunable White IP20 100000	0 -	69.0	350.0	2
SMART+ BT TIBEA Ceiling Tunable White IP20 10000	0 -	51.0	500.0	2
SMART+ BT TIBEA MINI Tunable White IP20 100000	0 -	51.0	220.0	4

<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> BLUETOOTH FLEX MULTICOLOR**

FLEXIBLE LED STRIPS FOR INDOOR USE WITH TUNABLE WHITE LIGHT AND RGB FUNCTION

























				lm	3		CRI
1	Silicone	30000	16.00	1100	A++/A+/A	2000 6500	>80
1	Silicone	30000	12.00	900	A++/A+/A	2000 6500	>80

Product name		P		[mm]	b [mm]	h [mm]	<b>a</b>
SMART+ BT FLEX 5M	110	IP20	15000	5000.0	10.0	2.6	4
SMART+ BT FLEX 3M	110	IP20	15000	3000.0	10.0	2.6	4

<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## SMART<sup>+</sup> BLUETOOTH MODERN LANTERN MULTICOLOR

PURISTIC WALL AND BOLLARD LUMINAIRES WITH TUNABLE WHITE AND RGB FUNCTION





SMART+ MODERN LANTERN Wall Multicolor



SMART+ MODERN LANTERN Bollard 90cm Multicolor



SMART+ MODERN LANTERN Bollard 50cm Multicolor





Product name





GTIN (EAN)


















									_
SMART+ MODERN LANTERN Wall Multicolor	4058075 <b>184572</b>	1 Dark gray	Aluminum	25000	12.00	650	А	RGB, 20006500	80
SMART+ MODERN LANTERN Bollard 90cm Multicolor	4058075 <b>184619</b>	2 Dark gray	Aluminum	25000	12.00	650	А	RGB, 20006500	80
SMART+ MODERN LANTERN Bollard 50cm Multicolor	4058075 <b>184589</b>	3 Dark gray	Aluminum	25000	12.00	650	А	RGB, 20006500	80

Product name		IP		[mm]	b	h [mm]	Ø d [mm]	
SMART+ MODERN LANTERN Wall Multicolor	360	IP44	100000	176.0	110.0	240.0	-	4
SMART+ MODERN LANTERN Bollard 90cm Multicolor	360	IP44	100000	-	-	900.0	110.0	2
SMART+ MODERN LANTERN Bollard 50cm Multicolor	360	IP44	100000	-	-	500.0	110.0	2

<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

### **SMART<sup>+</sup> BLUETOOTH FLEX OUTDOOR MULTICOLOR**

FLEXIBLE LED STRIP WITH COLOR-CHANGING FUNCTION AND TUNABLE WHITE – FOR OUTDOOR USE



























Product name	GTIN (EAN)	No.	MATERIAL	t[h] <sup>2</sup>	W	lm	3	K	CRI
SMART+ BT FLEX 5M	4058075 <b>504882</b>	1	Silicone	30000	16.00	1100	A++/A+/A	RGB, 2000 6500	>80
SMART+ BT FLEX 3M	4058075 <b>504868</b>	1	Silicone	30000	12.00	850	A++/A+/A	RGB, 2000 6500	>80

Product name		IP		[mm]	b [mm]	h <sub>[mm]</sub>	
SMART+ BT FLEX 5M	110	IP44	15000	5000.0	12.0	4.5	4
SMART+ BT FLEX 3M	110	IP44	15000	3000.0	12.0	4.5	4


<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

# SMART<sup>+</sup> ZIGBEE: SMART LIGHT FOR THE INTELLIGENT HOME

For those who would like to control their light via a gateway: The SMART<sup>+</sup> Zigbee products are compatible with a multitude of smart home systems. The operation occurs here via the partner system app. The wide choice of lamps and luminaires are especially suitable for customers who would like to well and truly exploit the potential of smart lighting in combination with other smart home functions.

















#### SMART<sup>+</sup> ZIGBEE CLASSIC LAMP SHAPE

Product name	GTIN (EAN)	No.	w≙W <sup>1</sup>	W	lm	Wi	2	K		<b>t</b> <sub>M</sub> ³		Ø d [mm]		<b>6</b>
SMART+ Classic Dimmable														
SMART+ ZB CLA60 60 8.5 W E27	4058075 <b>208377</b>	1	60	9.00	806	E27	A+	2700	Yes	20000	115.0	60.0	4	4
SMART+ ZB CLA55 FIL 6 W E27	4058075 <b>528178</b>	2	55	6.00	680	E27	A++	2700	Yes	15000	114.0	60.0	4	4
SMART+ Classic Tunable White													WARM	
SMART+ ZB CLA60 60 8.5 W E27	4058075 <b>208384</b>	1	60	9.00	806	E27	A+	27006500	Yes	20000	110.0	60.0	4	4
SMART+ Classic Multicolour													RGBW WARM	
SMART+ ZB CLA60 60 10 W E27	4058075 <b>208391</b>	1	60	9.00	806	E27	A+	27006500	Yes	20000	115.0	60.0	4	4
SMART+ ZB CLA60 60 10 W B22d	4058075 <b>208407</b>	3	60	9.00	806	B22d	A+	27006500	Yes	20000	120.0	60.0	4	4









#### SMART<sup>+</sup> ZIGBEE CANDLE LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	N.	2 2	K		<b>t</b> [h] <sup>3</sup>	[mm]	Ø d [mm]		
SMART+ Candle Dimmable														
SMART+ ZB CANDLE 40 5 W/2700K E14	4058075 <b>208421</b>	1	40	5.00	470	E14	A+	2700	Yes	20000	114.0	38.0	4	4
SMART+ Candle Tunable White													WA	RM DIM
SMART+ ZB CANDLE 40 6 W E14	4058075 <b>208414</b>	1	40	5.00	470	E14	A+	27006500	Yes	20000	114.0	38.0	4	4









#### SMART<sup>+</sup> ZIGBEE MINI-GLOBE LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	N.	2	K		<b>t</b> [h] <sup>3</sup>		Ø d [mm]		
SMART+ Mini bulb Dimmable														DIM
SMART+ ZB Mini bulb 40 5 W/2700K E14	4058075 <b>485150</b>	1	40	5.00	470	E14	A+	2700	Yes	20000	78.0	40.0	4	4
SMART+ Mini bulb Tunable White													WA	DIM DIM
SMART+ ZB Mini bulb 40 5 W/27006500K E14	4058075 <b>485174</b>	2	40	5.00	470	E14	A+	27006500	Yes	20000	78.0	40.0	4	4









SMART<sup>+</sup> ZIGBEE FILAMENT LAMP WITH EDISON BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni	P P P P P P P P P P P P P P P P P P P	K		<b>t</b> [h] <sup>3</sup>	[mm]	Ø d [mm]		
SMART+ bulb Dimmable														
SMART+ ZB E55 FIL 6 W E27	4058075 <b>528192</b>	1	55	6.00	680	E27	A++	2400	Yes	15000	162.0	64.0	4	4









#### SMART<sup>+</sup> ZIGBEE FILAMENT LAMP WITH GLOBE BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	N.	2	K		<b>t</b> [h] <sup>3</sup>	[mm]	Ø d [mm]		
SMART+ bulb Dimmable														
SMART+ ZB G55 FIL 6 W E27	4058075 <b>528215</b>	1	55	6.00	680	E27	A++	2400	Yes	15000	190.0	120.0	4	4











# SMART<sup>+</sup> ZIGBEE REFLECTOR LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	(lm)	Ni	2	K		t <sub>[h]</sub> °	[mm]	Ø d [mm]		
SMART+ Spot GU10 Dimmable														OIM DIM
SMART+ ZB SPOT 5 W 220240 V 45° GU10	4058075 <b>208452</b>	1	40	5.00	350	GU10	A+	2700	Yes	20000	58.0	50.0	4	4
SMART+ Spot GU10 Tunable White													WARN	
SMART+ ZB SP0T 5 W 220240 V 45° GU10	4058075 <b>208438</b>	2	40	5.00	350	GU10	A+	27006500	Yes	20000	55.0	50.0	4	4
SMART+ Spot GU10 Multicolour													RGBW WARN	
SMART+ ZB SPOT 5 W 220240 V 100° GU10	4058075 <b>208445</b>	1	40	5.00	350	GU10	A+	27006500	Yes	20000	58.0	50.0	4	4









1

#### SMART<sup>+</sup> ZIGBEE MOTION SENSOR

Product name	GTIN (EAN)	No.	Type of Battery	[mm]	(mm)	(mm)		
SMART+ Motion Sensor								
SMART+ Motion sensor	4058075 <b>209084</b>	1	3 V CR2 Lithium battery	25.0	43.0	45.0	4	4















#### SMART<sup>+</sup> ZIGBEE PLUG INDOOR AND OUTDOOR

Product name	GTIN (EAN)	No.	SCHUTZ- KLASSE	A	COLOR	IP		
CMADT. Disc.								
SMART+ Plug SMART+ ZB PLUG EU	4058075 <b>208315</b>	- 1		16	White	IP20	1	
SMART+ ZB PLUG UK	4058075 <b>208313</b>	2	2	13	White	IP20	4	4
JWANT + 2D FLUG UN	4030073200322			13	Wille	IFZU	4	4
SMART+ Outdoor Plug								
SMART+ ZB OUTDOOR PLUG EU	4058075 <b>209985</b>	3	I	16	White	IP44	8	8
SMART+ ZB OUTDOOR PLUG UK	4058075 <b>210004</b>	4	I	13	White	IP44	8	8









1

#### SMART<sup>+</sup> ZIGBEE REMOTE CONTROL

Product name	GTIN (EAN)	No.	Type of Battery	9	COLOR		b	h [mm]		
SMART+ Switch Mini										
SMART+ ZB SWITCH MINI White	4058075 <b>209091</b>	1	3 V CR2450 Button cell	41.60	White	80.0	40.0	14.0	4	4





# **SMART<sup>+</sup> ZIGBEE PANEL TUNABLE WHITE**

WALL AND CEILING PANEL LUMINAIRE WITH WHITE LIGHT CONTROL





SMART+ PANEL 30 x 120cm Tunable White



2 SMART+ PANEL 60 x 60cm Tunable White



3 SMART+ PANEL 60 x 30cm Tunable White






















		No.	COLOR	MATERIAL	UH	W	<b>m</b>		K	CRI
SMART+ PANEL 30 x 120cm Tunable White	4058075 <b>181519</b>	1	White	Aluminum	20000	30.00	2800	A+	27006500	≥80
SMART+ PANEL 60 x 60cm Tunable White	4058075 <b>181472</b>	2	White	Aluminum	20000	30.00	2800	A+	27006500	≥80
SMART+ PANEL 60 x 30cm Tunable White	4058075 <b>181496</b>	3	White	Aluminum	20000	15.00	1250	А	27006500	≥80

Product name	IP	<b>49</b>	[mm]	(mm)	h <sub>[mm]</sub>	
SMART+ PANEL 30 x 120cm Tunable White	IP20	100000	1200.0	300.0	42.0	4
SMART+ PANEL 60 x 60cm Tunable White	IP20	100000	600.0	600.0	57.0	4
SMART+ PANEL 60 x 30cm Tunable White	IP20	100000	600.0	300.0	47.0	4

<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> ZIGBEE CEILING**


ROUND CEILING LUMINAIRE IN AN ELEGANT, MINIMALIST DESIGN – WITH TUNABLE WHITE FUNCTION





SMART+ ZB Ceiling 33cm





<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

# SMART<sup>+</sup> ZIGBEE TIBEA

AESTHETIC WALL AND CEILING LUMINAIRES – INCLUDING THE RIGHT ZIGBEE LAMPS





SMART+ ZB TIBEA Pendant Tunable White



2 SMART+ ZB TIBEA Ceiling Tunable White



3 SMART+ ZB TIBEA MINI Tunable White




















Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] <sup>2</sup>	W	lm	3	K	CRI
SMART+ ZB TIBEA Pendant Tunable White	4058075 <b>345362</b>	1	White	Aluminum	20000	22.00	1250	A+	27006500	>80
SMART+ ZB TIBEA Ceiling Tunable White	4058075 <b>345348</b>	2	White	Aluminum	20000	22.00	1350	A+	27006500	>80
SMART+ ZB TIBEA MINI Tunable White	4058075 <b>345386</b>	3	White	Aluminum	20000	22.00	1600	A+	27006500	>80

Product name	(IP)		h <sub>[mm]</sub>	Ø d [mm]	<b>3</b>
SMART+ ZB TIBEA Pendant Tunable White	IP20	100000	69.0	350.0	2
SMART+ ZB TIBEA Ceiling Tunable White	IP20	100000	51.0	500.0	2
SMART+ ZB TIBEA MINI Tunable White	IP20	100000	51.0	220.0	4

<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

# **SMART<sup>+</sup> ZIGBEE UNDERCABINET TUNABLE WHITE**

VERY SLIM UNDER-CABINET LUMINAIRE WITH WHITE LIGHT CONTROL – CAN BE EXTENDED TO STRIP LIGHTING









SMART+ ZB UNDERCABINET 50 cm

2 SMART+ ZB UNDERCABINET 50cm Extension

3 SMART+ ZB UNDERCABINET 30 cm



4 SMART+ ZB UNDERCABINET 30cm Extension























	No.	COLOR	MATERIAL	LIH	W	<b>W</b>		TV.	CKI
4058075 <b>173989</b>	1	White	Plastic	20000	10.00	500	А	27006500	≥80
4058075 <b>174023</b>	2	White	Plastic	20000	8.00	500	A+	27006500	≥80
4058075 <b>173972</b>	3	White	Plastic	20000	6.00	300	А	27006500	≥80
4058075 <b>174016</b>	4	White	Plastic	20000	5.00	300	A+	27006500	≥80
	4058075 <b>174023</b> 4058075 <b>173972</b>	4058075 <b>173989</b> 1 4058075 <b>174023</b> 2 4058075 <b>173972</b> 3	4058075173989 1 White 4058075174023 2 White 4058075173972 3 White	4058075 <b>173989</b> 1 White Plastic 4058075 <b>174023</b> 2 White Plastic 4058075 <b>173972</b> 3 White Plastic	4058075 <b>173989</b> 1 White Plastic 20000 4058075 <b>174023</b> 2 White Plastic 20000 4058075 <b>173972</b> 3 White Plastic 20000	4058075 <b>173989</b> 1 White Plastic 20000 10.00 4058075 <b>174023</b> 2 White Plastic 20000 8.00 4058075 <b>173972</b> 3 White Plastic 20000 6.00	4058075 <b>173989</b> 1 White Plastic 20000 10.00 500 4058075 <b>174023</b> 2 White Plastic 20000 8.00 500 4058075 <b>173972</b> 3 White Plastic 20000 6.00 300	4058075 <b>173989</b> 1 White Plastic 20000 10.00 500 A 4058075 <b>174023</b> 2 White Plastic 20000 8.00 500 A+ 4058075 <b>173972</b> 3 White Plastic 20000 6.00 300 A	4058075 <b>173989</b> 1 White Plastic 20000 10.00 500 A 27006500 4058075 <b>174023</b> 2 White Plastic 20000 8.00 500 A+ 27006500 4058075 <b>173972</b> 3 White Plastic 20000 6.00 300 A 27006500

Product name		IP		[mm]	[mm]	in [mm]	
AMARY TO UNDERGADULET TO		IDOO	100000	550.0	07.0		
SMART+ ZB UNDERCABINET 50 cm	110	IP20	100000	550.0	37.0	8.0	8
SMART+ ZB UNDERCABINET 50cm Extension	110	IP20	100000	500.0	37.0	8.0	8
SMART+ ZB UNDERCABINET 30 cm	110	IP20	100000	350.0	37.0	8.0	8
SMART+ ZB UNDERCABINET 30cm Extension	110	IP20	100000	300.0	37.0	8.0	8

<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> ZIGBEE FLEX MULTICOLOR**

FLEXIBLE, EXPANDABLE LED STRIP WITH TUNABLE WHITE LIGHT AND RGB FUNCTION





SMART+ ZB FLEX 3P RGBW



2 SMART+ ZB FLEX RGBW EXT























		product	SIMART						guarantee	
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t <sub>[h]</sub> ²	W	lm	3	K	CRI
SMART+ ZB FLEX 3P RGBW	4058075 <b>208339</b>	1	White	Plastic	20000	11.00	700	A	20006500	80
SMART+ ZB FLEX RGBW EXT	4058075 <b>208612</b>	2	White	Plastic	20000	6.00	500	А	20006500	80
Product name	(Å IP		[mm]	b h [mm]						

		LIP .		[mm]	[mm]	[mm]	
SMART+ ZB FLEX 3P RGBW	120	IP20	1000000	1800.0	12.0	3.0	4
SMART+ ZB FLEX RGBW EXT	120	IP20	1000000	1200.0	12.0	3.0	4

<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

## **SMART<sup>+</sup> ZIGBEE GARDENPOLE MULTICOLOR**

DECORATIVE, EXPANDABLE GARDEN SPOTLIGHTS WITH COLOR-CHANGING FUNCTION





SMART+ ZB GARDENPOLE Basic Set



SMART+ ZB GARDENPOLE Extension



3 SMART+ ZB GARDENPOLE Basic Set Mini



4 SMART+ ZB GARDENPOLE Extension Mini






				[mm]	[mm]	[mm]	d [mm]	
SMART+ ZB GARDENPOLE Basic Set	90	IP65	10000	14000.0	38.0	365.0	38.0	2
SMART+ ZB GARDENPOLE Extension	90	IP65	10000	6000.0	-	270.0	38.0	2
SMART+ ZB GARDENPOLE Basic Set Mini	90	IP65	10000	-	23.0	227.0	23.0	4
SMART+ ZB GARDENPOLE Extension Mini	80	IP65	10000	-	-	227.0	23.0	4

<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).


## **SMART<sup>+</sup> ZIGBEE FLEX OUTDOOR MULTICOLOR**

FLEXIBLE LED STRIP WITH COLOR-CHANGING FUNCTION AND TUNABLE WHITE – FOR OUTDOOR USE









<sup>&</sup>lt;sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average lifetime in hours | <sup>3</sup> Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

# LEDVAINCE S EU-IV MK RE—Subject to change without notice, Errors and omission excepted.

#### **ABOUT LEDVANCE**

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.



Customer Service Centre: kundenservice@ledvance.com

Germany:

Phone: +49 89 780673-660 Fax: +49 89 780670-665 LEDVANCE GmbH Parkring 29-33 85748 Garching Germany

**LEDVANCE.COM** 

